

LIST OF COOKIES

STRICTLY NECESSARY COOKIES

These cookies are essential in order to enable you to move around the website and use its features, such as accessing secure areas of the website.

Without these cookies, services you have asked for, like shopping baskets or e-billing, cannot be provided.

| TOOL | NAME | LIFETIME | DESCRIPTION |
|---------------------|----------------|-------------------|---|
| Akamai | AKA_A2 | 1 day | This Akamai cookie is used to speed up content delivery on websites using the adaptive acceleration feature. Adaptive Acceleration (A2) is Akamai's intelligent platform that continuously applies performance optimizations. No specific user data needs to be set. |
| Akamai | ipLocale RT | Session 7 days | Fraud and security prevention Fraud and security prevention |
| , wantar | | , days | |
| Amazon Web services | AWSALB | 7 days | Cookie used to allocate server traffic to make the user experience as smooth as possible. A so-called load balancer is used to determine which server currently has the best availability. The information generated cannot identify you as an individual. |
| ContentSquare | _cs_mk | 1 day | This cookie is used for the Google Analytics and Adobe Analytics integrations. |
| Google analytics | _ga | 24 months | This cookies is used by Google Analytics to distinguish unique users by assigning a randomly generated number as client identifier |
| Google analytics | _gid | 1 day | Registers a unique ID that is used to generate statistical data on how the visitor uses the website. This cookie is used by Google Analytics to track user behaviour. |
| Gstar.com | JSESSIONID | Session | This is a general purpose platform session cookie, set by sites running on JavaServer Pages. The cookie is used to maintain an anonymous user session on the server. |
| Instagram | _flowbox | 4 weeks | Necessary for the implementation of Instagram photo gallery on the website |
| Quantcast | _dlt | Session | Sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for statistical purposes. |
| | | | |

FUNCTIONAL COOKIES

| TOOL | NAME | LIFETIME | DESCRIPTION |
|--------------------------------|---------------------|-----------|--|
| | | | This cookie is used for the Google Analytics and Adobe Analytics |
| ContentSquare | _cs_mk | 1 day | integrations. Sets a unique ID for the session. This allows the website to obtain data |
| Quantcast | _dlt | Session | on visitor behaviour for statistical purposes. |
| | | | Necessary for the implementation of Instagram photo gallery on the |
| Instagram | _flowbox | 4 weeks | website This socialistic used by Coogle Applytics to distinguish upique users by |
| Googleanalytics | _ga | 24 months | This cookies is used by Google Analytics to distinguish unique users by assigning a randomly generated number as client identifier |
| | | | Registers a unique ID that is used to generate statistical data on how |
| Google analytics | _gid | 1 day | the visitor uses the website. This cookie is used by Google Analytics to |
| Akamai | AKA A2 | 1 day | This Akamai cookie is used to speed up content delivery on websites using the adaptive acceleration feature. Adaptive Acceleration (A2) is |
| | 740.072 | 1 009 | used to allocate server traffic to make the user experience as smooth as |
| Amazon Web services | AWSALB | 7 days | possible. A so-called load balancer is used to determine which server |
| Gstar Native | сосо | 10 years | Consent cookie |
| | | 10 years | Consent Cookie |
| Akamai | ipLocale | Session | Fraud and security prevention |
| | | | |
| | | | This is a general purpose platform session cookie, set by sites running on JavaServer Pages. The cookie is used to maintain an anonymous user |
| WebSphere Commerce Suite / WCS | JSESSIONID | Session | session on the server. |
| Akamai | RT | 7 days | Fraud and security prevention |
| | | | |
| ANALYTICAL COOKIES | | | |
| TOOL | NAME | LIFETIME | DESCRIPTION |
| ContentSquare | _cs_c | 13 months | cookies is used by ContentSquare to save the user consent to be tracked |
| ContentSquare | _cs_id | 24 months | Registers statistical data on users' behaviour on the website. Used for internal analytics by the website operator. |
| ContentSquare | _cs_mk | 1 day | This cookie is used for the Google Analytics and Adobe Analytics integrations. |
| ContentSquare | _cs_root-domain | 1 day | Registers how the user has reached the website to enable pay-out of referral commission fees to partners. |
| | | | This cookie is used to identify the frequency of visits and how long the |
| ContentSquare | _cs_s | 1 day | visitor is on the website. |
| ContentSquare | _cs_same_site | 1 day | Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization. |
| | | | |
| Quantcast | _dlt | Session | Sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for statistical purposes. |
| | | | Necessary for the implementation of Instagram photo gallery on the |
| Instagram | _flowbox | 4 weeks | website |
| - | | | |
| Canala analytics | | 24 | This cookies is used by Google Analytics to distinguish unique users by |
| Google analytics | _ga | 24 months | assigning a randomly generated number as client identifier |
| | | | |
| Google analytics | _gat_UA-10491787-1 | 1 day | Analysis of the use of the website |
| | | | |
| Google analytics | _gat_UA-10491787-28 | 1 day | Analysis of the use of the website |
| Soobie analytics | _Bat_07/10431/0/-20 | 1 009 | Registers a unique ID that is used to generate statistical data on how |
| Google analytics | _gid | 1 day | the visitor uses the website. This cookie is used by Google Analytics to track user behaviour. |
| | | | using the adaptive acceleration feature. Adaptive Acceleration (A2) is Akamai's intelligent platform that continuously applies performance |
| Akamai | AKA_A2 | 1 day | optimizations. No specific user data needs to be set. |
| | | | possible. A so-called load balancer is used to determine which server |
| Automa Mahan i | | 7 | currently has the best availability. The information generated cannot |
| Amazon Web services | AWSALB | 7 days | identify you as an individual. |
| | | | |
| Gstar Native | сосо | 10 years | Consent cookie |
| | | | |

| Akamai | ipLocale | Session | Fraud and security prevention |
|--------------------------------|-----------------|--------------|---|
| | | | This is a general purpose platform session cookie, set by sites running |
| WebSphere Commerce Suite / WCS | JSESSIONID | Session | on JavaServer Pages. The cookie is used to maintain an anonymous user session on the server. |
| websphere commerce suite/ wcs | 13533101010 | 38551011 | session on the server. |
| | | | |
| Akamai | RT | 7 days | Fraud and security prevention |
| | | | |
| SOCIAL MEDIA & MARK | | | |
| JOCIAL MEDIA & MARK | | | |
| TOOL | NAME | LIFETIME | DESCRIPTION |
| | | | |
| | | | |
| | | | |
| Exponea | exponea_etc | 36 months | Customer's Exponea generated client-side cookie |
| | | | |
| | | | |
| 5 | time 2 | 4 h a | T |
| Exponea | exponea_time2 | 1 hour | Timestamp offset between browser and server time |
| | | | |
| | | | |
| | | | |
| | | | |
| QuantCast | qca | 13 months | This cookie stores and tracks audience reach |
| | | | |
| | | | |
| ContentSquare | _CS_C | 13 months | cookies is used by ContentSquare to save the user consent to be tracked |
| | | | |
| ContentSquare | _cs_id | 24 months | Registers statistical data on users' behaviour on the website. Used for internal analytics by the website operator. |
| | | 24 11011113 | |
| | | | |
| | | | |
| ContentSquare | _cs_mk | 30 minutes | This cookie is used for the Google Analytics and Adobe Analytics integrations. |
| contentsquare | | Sommates | |
| | | | |
| | | | Registers how the user has reached the website to enable pay-out of |
| ContentSquare | _cs_root-domain | 1 day | referral commission fees to partners. |
| | | | |
| | | | |
| | | | This cookie is used to identify the frequency of visits and how long the |
| ContentSquare | _cs_s | 1 day | visitor is on the website. |
| | | | |
| | | | Registers data on visitors' website-behaviour. This is used for internal |
| ContentSquare | _cs_same_site | 1 day | analysis and website optimization. |
| QuantCast | _dlt | Session | This cookie sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for statistical purposes. |
| | | | |
| | | | |
| Farabaal | 6 | 12 m a a b - | This cookie is used by Facebook to deliver a series of advertisement |
| Facebook | _fbp | 12 months | products such as real time bidding from third party advertisers. |

| Instagram | _flowbox | 4 weeks | Necessary for the implementation of Instagram photo gallery on the website |
|-------------------------------|---------------------|-----------|---|
| Google analytics | _ga | 24 months | This cookies is used by Google Analytics to distinguish unique users by assigning a randomly generated number as client identifier |
| Google analytics | _gat_UA-10491787-1 | 1 day | Analysis of the use of the website |
| Google analytics | _gat_UA-10491787-28 | 1 day | Analysis of the use of the website |
| Google Adwords | _gcl_au | 3 months | This cookie is set automatically by Google Adwords to identify and recognize the user. It is enables us to use Google Adwords for remarketing and to use the whole functionality of Google services |
| Google analytics | _gid | 1 day | Registers a unique ID that is used to generate statistical data on how the visitor uses the website. This cookie is used by Google Analytics to track user behaviour. |
| Google Tag Manager/ Pinterest | _pin_unauth | 12 months | Used by Pinterest to track the usage of service |
| Pinterest | _pinterest_ct_ua | 12 months | Third party cookie which groups actions for users who cannot be identified by Pinterest. |
| Qubit | _qubitTracker | 12 months | AB tests/ experiments, which gives each visitor a specific Qubit ID. This cookie is used by SnapChat to anonymously identify a visitor across multipless domains for advertising purposes and to track |
| Snapchat | _scid | 13 months | conversions This Akamai cookie is used to speed up content delivery on websites using the adaptive acceleration feature. Adaptive Acceleration (A2) is Akamai's intelligent platform that continuously applies performance optimizations. No specific user data needs to be set. |
| Amazon Web services | _ AWSALB | 7 days | optimizations. No specific user data needs to be set. used to anocate server transctomake the user experience as smooth as possible. A so-called load balancer is used to determine which server sets band act of the vision, that an owner the user y averner y averner target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real- |
| Criteo | criteo_write_test | 1 day | time bidding for advertisers. Used to identify the visitor across visits and devices. This allows the website to present the visitor with relevant advertisement - The service |
| Criteo | cto_tId_test | 1 day | is provided by third party advertisement hubs, which facilitate real- |
| Google Doubleclick | IDE | 18 months | This cookie from Google contains a randomly generated User-ID, which allows Google to recognize you across multiple websites and to serve personalized ads |

| Conference Suite / WCS SSSSONID Substruct Connecce Suite / WCS SSSSONID Ophit pb_genetic Ophit | | | | |
|--|--------------------------------|--------------------|-----------|--|
| Velocity Velocity Velocity Velocity Velocity Velocity Gubet ob_generic 12 months personalization cookie Gubet ob_generic 12 months personalization cookie Gubet ob_generic 12 months replace all other personalization personaliteric personalization personalizati | Akamai | ipLocale | Session | Fraud and security prevention |
| Dubit ob_permanent 12 months This coolie is planned to solve all permanent data and ultimately relace all other permanent cooles for personalization to improves concompting requires tables of introduce personalization to improves provide switch the ability to introduce personalization to improves concompting requires tables of the personalization to improves patients that they have made. Used to interduce personalization to improve patients that they have made. Used to interduce personalization purposes. Oubit ob_person 1 day This coolie is planned to store all sension data and ultimately replace advances that they have made. Used to identify how visitors to more the website Oubit ob_person 1 day all other secon coolies for personalization purposes. Oubit ob_person 1 day all other secon coolies for personalization purposes. States the formation on the topic intervent 1 day and and pounty prevention States the formation on the topic intervent 1 day address of the secon coolies for personalization purposes. States the formation on the topic intervent 1 day address of the secon coolies for personalization purposes. States the formation on the topic intervent 1 day address of the secon coolies for personalization purposes. States the formation on the topic intervent 1 day address of the secon coolies for personalization purposes. States the formation on the topic intervent 1 day address of the secon coolies topic intervent intervente models of t | WebSphere Commerce Suite / WCS | JSESSIONID | Session | |
| Gubit qb_permanent 12 months replace all other permanent cookies for personalization to improve a customer's experience based on their previous experiences with the ability to introduce personalization to improve a customer's experience based on their previous experiences with us and sections in the two base made. Used to (dentify how visitors traverse the worksite Gubit qb_persist_text section This cookie is planned to store all session data and ultimately replace customer's experience based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and section and their previous experiences with us and sections of prevention Gubit qb_persist_text section This cookie is planned to store all section and ultimately replace to a section construction purposes. Gubit qb_persist_text replace replace and section prevention Gubit xAd 1 day cookie sectis pr | Qubit | qb_generic | 12 months | personalization cookie |
| Gubit qb_permanent 12 months replace all other permanent cookies for personalization to improve a customer's experience based on their previous experiences with the ability to introduce personalization to improve a customer's experience based on their previous experiences with us and sections in the two base made. Used to (dentify how visitors traverse the worksite Gubit qb_persist_text section This cookie is planned to store all session data and ultimately replace customer's experience based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and sections in the two based on their previous experiences with us and section and their previous experiences with us and sections of prevention Gubit qb_persist_text section This cookie is planned to store all section and ultimately replace to a section construction purposes. Gubit qb_persist_text replace replace and section prevention Gubit xAd 1 day cookie sectis pr | | | | |
| Cubic operating test section Cubic op_presit_test section Cubic op_presit_test section Cubic op_presit_test section Cubic op_presit_test mile verbite Cubic op_presit_test section Anama RT 7 days raud and security prevention Snapchat X AB 1 day audirences for tragents place on the bandour on multiple website. Snapchat X AB 1 day audirences for tragent place on the bandour on multiple website. Cubical 1 day audirences for tragent place on the bandour on multiple website. Cubical 1 day audirences for tragent place on the bandour on multiple website. Cubical 1 day audirences for tragent place on the bandour on multiple website. Cubical 1 day the section of the bandour on multiple website. Cubical | Qubit | qb_permanent | 12 months | |
| Qubit qb_jession 1 day all other session cookies for personalization purposes. Akamal RT 7 days Fraud and security prevention Snapchat X.AB 1 day Cookies set by Snapchat for reporting on social campaigns, troubleshooting campaign setup and building aggregate pools of audiences for targeting based on behaviour trends. Ineme | Qubit | qb_persist_test | session | customer's experience based on their previous experiences with us and selections that they have made. Used to identify how visitors traverse |
| Akamal RT 7 days Fraud and security prevention Snapchat X AB 1 day audiences for reporting on social campaigns, troubleshooting campaign setup and building aggregate pools of audiences for targeting based on behaviour frends. Line.me | | | | This cookie is planned to store all session data and ultimately replace |
| Snapchat X-AB 1 day audiences for tragening setup and building aggreges, poils of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of the setup of audiences for tragening setup and building aggreges pools of the setup of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of the setup of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges pools of audiences for tragening setup and building aggreges and to set audiences and motophila and behavior on the website. Outbrain outbrain_cid_fetch 1 day the website allo conting content and meeting setup content and meeting setup and building aggreges and to track conversions audiences and motophila and set and se | Qubit | | | |
| line.me | | | | troubleshooting campaign setup and building aggregate pools of |
| Google Tag Manager | | | | |
| Google Tag Manager _ts_yjad 24 months advertisement on the website Outbrain outbrain_cid_fetch 1 day This cookie collects data on the user's navigation and behavior on the website. This is used to compile statistical reports and heatmaps for the website owner. Smartnews snexid 24 months This cookie is used to deliver ads generated by smartnews-ads.com request does not include an ID cookie or an existing test, cookie. It is used to see if the browser accepts third party cookies, so Google don't Google Doubleclick test_cookie 1 day This cookie is used by SnapChat to anonymously identify a visitor across multipless domains for advertising purposes and to track conversions Snapchat sc_at 13 months This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. Bing _uetvid 3 weeks This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. | ine.me | | 24 months | This cookie collects information on user behaviour on multiple |
| Outbrainoutbrain_cid_fetch1 daywebsite. This is used to compile statistical reports and heatmaps for the website owner.Smartnewssnexid24 monthsThis cookie is used to deliver ads generated by smartnews-ads.com request does not include an ID cookie or an existing test_cookie. It is used to see if the browser accepts third party cookies, so Google don'tGoogle Doubleclicktest_cookie1 dayused to see if the browser accepts third party cookies, so Google don'tSnapchatsc_at13 monthsThis cookie is used by SnapChat to anonymously identify a visitor across multipless domains for advertising purposes and to track conversionsBing_uetsid1 dayThis is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.Bing_uetvid3 weeksThis is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. | Google Tag Manager | _ts_yjad | 24 months | |
| Google Doubleclick test_cookie 1 day request does not include an ID cookie or an existing test_cookie. It is used to see if the browser accepts third party cookies, so Google don't Snapchat sc_at 1 amonths This cookie is used by SnapChat to anonymously identify a visitor across multipless domains for advertising purposes and to track conversions Bing _uetsid 1 day This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. Bing _uetvid 3 weeks This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. | Outbrain | outbrain_cid_fetch | 1 day | website. This is used to compile statistical reports and heatmaps for |
| Google Doubleclick test_cookie 1 day request does not include an ID cookie or an existing test_cookie. It is used to see if the browser accepts third party cookies, so Google don't Snapchat sc_at 1 amonths This cookie is used by SnapChat to anonymously identify a visitor across multipless domains for advertising purposes and to track conversions Bing _uetsid 1 day This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. Bing _uetvid 3 weeks This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. | Smartnews | snexid | 24 months | This cookie is used to deliver ads generated by smartnews-ads.com |
| Snapchat sc_at 13 months across multipless domains for advertising purposes and to track conversions Bing _uetsid 1 day This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. Bing _uetvid 3 weeks This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website. | Google Doubleclick | test_cookie | 1 day | |
| Bing _uetsid 1 day website. Bing _uetsid 1 day This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our Bing _uetvid 3 weeks website. | Snapchat | sc_at | 13 months | across multipless domains for advertising purposes and to track |
| Bing _uetvid 3 weeks website. | Bing | _uetsid | 1 day | It allows us to engage with a user that has previously visited our |
| AppNexus anj 90 days Ads targeting cookie for AppNexus | Bing | _uetvid | 3 weeks | It allows us to engage with a user that has previously visited our |
| | AppNexus | anj | 90 days | Ads targeting cookie for AppNexus |

| Cloudfare | cf_bm | 30 minutes | Cloudflare's bot products identify and mitigate automated traffic to protect your site from bad bots. |
|--------------|----------------|----------------------|---|
| | | | |
| Revcontent | | 50 | This cookie sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which for interest and king the for a dvertiser. |
| Gstar Native | ID coco | 50 years 10 years | facilitates real-time bidding for advertisers. Consent cookie |
| | | | Identifies if the cookie-data needs to be updated in the visitor's browser - This is determined through third-party ad-serving- |
| Yahoo | IDSYNC | 1 year | companies. |
| Pubmatic | KRTBCOOKIE_614 | 3 months | We use this cookie to correlate our user IDs with those of our partners (such as demand side platform clients or other advertising technology companies). We pass the information stored by the partner in this cookie to the partner when it is considering whether to purchase advertisements. This enables the partner to make better decisions about whether to display an advertisement to you. |
| Pubmatic | KRTBCOOKIE_97 | 3 months | We use this cookie to correlate our user IDs with those of our partners (such as demand side platform clients or other advertising technology companies). We pass the information stored by the partner in this cookie to the partner when it is considering whether to purchase advertisements. This enables the partner to make better decisions about whether to display an advertisement to you. |
| Outbrain | obuid | 3 months | Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real- time bidding for advertisers |
| RLCDN | rlas3 | 12 months | These cookies are used to define demographic information about consumers. |
| Revcontent | v1_151 | 29 days | This cookie registers user behaviour and navigation on the website and any interaction with active campaigns. This is used for optimizing advertisement and for efficient retargeting. |